

ELECTRICAL

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

New Items
In Red

BOXES
BUILDING WIRE
CIRCUIT BREAKERS
FUSES
LIGHTING
METERS & TESTERS
POWER CORDS
SURGE PROTECTION
TIME SWITCHES
WALL PLATES
WIRING DEVICES
WIRING SUPPLIES

ELECTRICAL

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

INCANDESCENT BULBS



A19/A21 Household Bulbs

- Medium base
- Multi-Filament supports increase lamp life
- Solid Nickel leads for extra support
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Case Qty.
120/ea



- Appliance bulb
- Same specs. as A-19 bulb
- A15 bulb
- 40 watts, 5000 hours
- Inside frost finish

Case Qty.
120/ea

Item # **M87022**
U/M - Each

Item #	U/M	Description	Watts	Type	Volts	Hours
M88018	Each	25A/IF	25	Inside Frost	130	5000
M88153	Each	40A/IF	40	Inside Frost	130	5000
M88279	Each	60A/CL	60	Clear	130	5000
M88288	Each	60A/IF	60	Inside Frost	130	5000
M88360	Each	75A/RS/IF	75	Rough Service	130	2500
M88405	Each	75A/IF	75	Inside Frost	130	5000
M88414	Each	100A/IF	100	Inside Frost	130	5000
M88495	Each	150A21/IF	150	Inside Frost	130	5000

A19 Sylvania Daylight Bulbs



- Daylight bulbs by Sylvania offers a unique sky blue coating that simulates natural light
- These bulbs bring new life and an attractive, crisper and whiter light source
- Excellent for offices, kitchens, bathrooms, showrooms, living rooms, dens, etc.
- 4 bulbs per pack
- Sold in packs only

Case Qty.
48/ea
12 Packs

Item #	U/M	Description	Watts	Type	Volts	Hours
M88155	Pack	40A/DL	40	Daylight	120	1500
M88290	Pack	60A/DL	60	Daylight	120	1500
M88409	Pack	75A/DL	75	Daylight	120	1500
M88418	Pack	100A/DL	100	Daylight	120	1500



A23 Household Bulb

- Medium base
- Multi-Filament supports increase lamp life
- Solid Nickel leads for extra support
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Case Qty.
60/ea

Item #	U/M	Description	Watts	Type	Volts	Hours
M88522	Each	200A23/IF	200	Inside Frost	130	5000

B10 Decorative Torpedo Bulbs



- Candelabra base
- Straight tip
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Case Qty.
25/ea

Item #	U/M	Description	Watts	Type	Volts	Hours
M88027	Each	25TC/CL/BX	25	Clear	130	3000
M88036	Each	25TC/IF/BX	25	Inside Frost	130	3000
M88171	Each	40TC/CL/BX	40	Clear	130	3000
M88180	Each	40TC/IF/BX	40	Inside Frost	130	3000
M88297	Each	60TC/CL/BX	60	Clear	130	3000



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

Page 75

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

INCANDESCENT BULBS



Case Qty.
25/ea

B11 Decorative Torpedo Bulbs

- Medium base
- Straight tip
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88045	Each	25TM/CL/BX	25	Clear	130	3000
M88189	Each	40TM/CL/BX	40	Clear	130	3000



Case Qty.
60/ea

BR30 Reflector

- Medium base
- Indoor Reflector
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88387	Each	65BR30/FL	65	Flood Light	130	5000



Case Qty.
12/ea

BR38 Weatherproof Reflectors

- Medium base
- Indoor / Outdoor Reflector
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88369	Each	75BR38/FL	75	Flood Light	130	5000
M88450	Each	150BR38/FL	150	Flood Light	130	5000



Case Qty.
24/ea

BR40 Indoor Reflector

- Medium base
- Indoor Reflector
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88477	Each	120BR/FL	130	Flood Light	130	5000



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

INCANDESCENT BULBS

G16-1/2 Globe Lights 2-1/8"



Case Qty.
25/ea

- Candelabra base
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88072	Each	25G161/2/CL/BX	25	Clear	130	3000
M88081	Each	25G161/2/W/BX	25	White	130	3000
M88207	Each	40G161/2/CL/BX	40	Clear	130	3000
M88216	Each	40G161/2/W/BX	40	White	130	3000
M88315	Each	60G161/2/CL/BX	60	Clear	130	3000

G25 Globe Lights 3-1/8"



Case Qty.
60/ea

- Medium base
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88090	Each	25G25/CL	25	Clear	130	5000
M88099	Each	25G25/W	25	White	130	5000
M88225	Each	40G25/CL	40	Clear	130	5000
M88234	Each	40G25/W	40	White	130	5000
M88324	Each	60G25/CL	60	Clear	130	5000
M88333	Each	60G25/W	60	White	130	5000

G40 Globe Lights 5"



Case Qty.
24/ea

- Medium base
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88135	Each	40G40/W	40	White	130	5000
M88144	Each	40G40/CL	40	Clear	130	5000
M88342	Each	60G40/CL	60	Clear	130	5000
M88351	Each	60G40/W	60	White	130	5000
M88432	Each	100G40/W	100	White	130	5000



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

Page 77

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

INCANDESCENT LAMPS



R20 Reflector

- Medium base
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88270	Each	50R20/RFL	50	Reflector	130	5000

Case Qty.
60/ea




R40 Heat Lamp Reflector

- Medium base
- Heat lamp
- Shatter proof
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88531	Each	250R40/10/WP/BX	250	Heat Lamp	120	6000

Case Qty.
12/ea



T6-1/2 Tubular Bulbs

- EXIT sign bulb
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88054	Each	20T61/2/CL/INT	20	Clear INT.	130	5000
M88063	Each	20T61/2/DC/CL	20	Clear D.C.	130	5000

Case Qty.
25/ea

Intermediate Base

D.C. Bayonet Base



T10 Tubular Bulbs

- Medium base
- Brass base does not oxidize or freeze in the socket, for easy removal
- 130 Volt design to better withstand voltage surge

Item #	U/M	Description	Watts	Type	Volts	Hours
M88117	Each	25T10/IF	25	Inside Frost	130	5000
M88126	Each	40T10/IF	40	Inside Frost	130	5000

Case Qty.
25/ea



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

FLUORESCENT LAMPS

T5 Fluorescent Tubes



- Miniature Bipin Base
- Starter Required
- Cool White

Case Qty.
24/ea

Item #	U/M	Description	Watts	Length	Hours
M87076	Each	F6T5/CW	6	9"	10000
M87115	Each	F8T5/CW	8	12"	10000

T8 Fluorescent Tubes



- Medium Bipin Base
- Starter Required
- Cool White
- Preheat

M87180
Case Qty.
25/ea

M87245
Case Qty.
30/ea

Item #	U/M	Description	Watts	Length	Hours
M87180	Each	F15T8/CW	15	18"	10000
M87245	Each	F30T8/CW	30	36"	7500



- Medium Bipin Base
- Rapid Start
- Rapid Start Starter Required
- Cool White

Case Qty.
25/ea

Item #	U/M	Description	Watts	Length	Hours
M87258	Each	F32T8/CW	32	48"	20000

T12 Fluorescent Tubes



- Medium Bipin Base
- Starter Required
- Preheat

M87167
Case Qty.
30/ea

M87206
Case Qty.
25/ea

Item #	U/M	Description	Watts	Length	Hours
M87167	Each	F15T12/CW	15	18"	10000
M87206	Each	F20T12/CW	20	24"	9000



- Medium Bipin Base
- Rapid Start
- Rapid Start Starter Required
- Cool White

M87232
Case Qty.
25/ea

M87310
Case Qty.
30/ea

Item #	U/M	Description	Watts	Length	Hours
M87232	Each	F30T12/CW	30	36"	18000
M87310	Each	F40CW/ES	34	48"	20000

T12 Fluorescent Tube



- Medium Single Pin Base
- Rapid Start
- Rapid Start Starter Required
- Cool White

Case Qty.
15/ea

Item #	U/M	Description	Watts	Length	Hours
M87323	Each	F96T12/CW/ES	60	96"	12000



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT

FLUORESCENT LAMPS



T12 Fluorescent Tube RDC

- (RDC) Recessed Double Contact Base
- High Output
- Cool White

Item #	U/M	Description	Watts	Length	Hours
M87336	Each	F96T12/CW/HO-O	110	96"	12000

Case Qty.
15/ea



T9 Fluorescent Circline Tubes

- Circline
- 4 Pin Base
- Cool White

Item #	U/M	Description	Watts	Size	Hours
M87193	Each	FC6T9/CW	20	6-1/2"	12000
M87219	Each	FC8T9/CW	22	8"	12000
M87271	Each	FC12T9/CW	32	12"	12000

Case Qty.
12/ea



G23/GX23 Compact Fluorescent Twin Tubes

- PL Compact Fluorescent Lamp
- Lynx Single 2 Pin Base
- Energy Saver
- Cool White

Item #	U/M	Description	Watts	Base	Hours
M87063	Each	CF5LS/841	5	G-23	10000
M87089	Each	CF7LS/841	7	G-23	10000
M87128	Each	CF9LS/841	9	G-23	10000
M87141	Each	CF13LS/841	13	GX-23	10000

Case Qty.
50/ea



T10 Tubular Bulbs

- U-Bent Lamp
- Medium 2-Pin Base
- Rapid Start
- Energy Saver
- Cool White

Item #	U/M	Description	Watts	Length	Hours
M87297	Each	FB40CW/ES/6	34	22-1/2"	12000

Case Qty.
12/ea



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

COMPACT FLUORESCENT / HID / HALOGEN BULBS

Compact Fluorescent Lamps:

Compact fluorescent lamps bring all the advantages of fluorescent lighting to an incandescent socket. They provide comparable color rendering to incandescents, are four times more energy efficient, and have rated service lives up to 13 times longer which provides significant maintenance and replacement cost savings.



- (827) Warm white
- Rated 8,000 hours / 10,000 hours for Torpedo bulbs
- Sold by the each



Torpedo



Spiral



Globe



Reflector - R30



Reflector - R40

Item #	U/M	Description	Watts	Size LxW	Shape	Aprox. Equivalent
M87065	Each	5W/frost/cand	5	3-7/8" x 1.5"	Torpedo	25W Torpedo B10 Bulb
M87094	Each	7W/frost/cand	7	4-1/4" x 1.5"	Torpedo	40W Torpedo B10 Bulb
M87130	Each	11MLS/827	11	4.8" x 1.8"	Spiral	40W Standard A19 Bulb
M87143	Each	15MLS/827	13	5.25" x 1.8"	Spiral	60W Standard A19 Bulb
M87199	Each	20MLS/827	20	5.7" x 2.31"	Spiral	75W Standard A19 Bulb
M87224	Each	25MLS/827	25	6.25" x 2.31"	Spiral	100W Standard A19 Bulb
M87134	Each	11LG/827	11	5.25" x 3.13"	Globe	40W Globe G25 Bulb
M87169	Each	15LG/827	15	6" x 3.75"	Globe	60W Globe G40 Bulb
M87173	Each	15LR30/827	15	6.3" x 3.75"	Reflector	65W Reflector R30 Bulb
M87204	Each	20LR40/827	20	6.85" x 5.0"	Reflector	100W Reflector R40 Bulb

Case Qty.
10/ea

ED17 / ED23-1/2

High Pressure Sodium Lamps:

HID (High Intensity Discharge) applications include; high bay (ceilings over 15'), industrial lighting, warehouses, indoor and outdoor sports facilities, outdoor security lighting and parking garages.

- 24,000 hours rated
- Clear
- Sold by the each
- Do not use in standard incandescent light bulb sockets



Item #	U/M	Description	Watts	Base
M88762	Each	LU50/MED	50	Medium
M88769	Each	LU70/MED	70	Medium
M88788	Each	LU150/55/MED	150	Medium
M88807	Each	LU150/55/MOG	150	Mogul

Case Qty.
20/ea

T3 Halogen Double Ended Lamps:

Halogen applications include; accent lighting, recessed lighting, track and spot lighting.

- 2,000 hours rated
- 130 volts
- Recessed single contact
- Mol (inch.) 4-11/16"
- Clear
- Sold by the each



Item #	U/M	Description	Watts
M88558	Each	300T3Q/CL	300
M88630	Each	500T3Q/CL	500

Case Qty.
20/ea



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION
& BUILDING
SUPPLIES

Tools

LAWN &
GARDEN

JANITORIAL

AUTOMOTIVE

PAINT &
SUNDRIES

INDUSTRIAL

SAFETY
EQUIPMENT

CEILING FANS

42" Low Profile Ceiling Fan :

- Mounts directly to ceiling, no downrod required
- Reversible 3 speed motor offers super quiet operation for up or down flow
- 4 finish-reversible (white or weathered pine) blades
- Schoolhouse glass light kit
- 13-5/8" total height
- Hardware finish - White



Item # M85109
U/M - Each

42" Low Profile Ceiling Fan :

- Mounts directly to ceiling, no downrod required
- Reversible 3 speed motor offers super quiet operation for up or down flow
- 4 finish-reversible (oak or walnut) blades
- Schoolhouse glass light kit
- Hardware finish - Polished Brass



Item # M85113
U/M - Each

52" Low Profile Ceiling Fan :

- Mounts directly to ceiling, no downrod required
- Reversible 3 speed motor offers super quiet operation for up or down flow
- 5 finish-reversible (oak or walnut) blades
- 3 light frosted glass light kit
- Hardware finish - Antique Brass



Item # M85122
U/M - Each

42" Downrod Ceiling Fan :

- Allows for slope or flat downrod mounting
- Reversible 3 speed motor offers super quiet operation for up or down flow
- 4 finish-reversible (white or bleached oak) blades
- Mushroom glass light kit
- Hardware finish - White



Item # M85154
U/M - Each

52" Downrod Ceiling Fan :

- Allows for slope or flat downrod mounting
- Reversible 3 speed motor offers super quiet operation for up or down flow
- 5 finish-reversible (white or weathered pine) blades
- 3 light frosted glass light kit
- 18" total height
- Hardware finish - White & Polished Brass



Item # M85165
U/M - Each

52" Downrod Ceiling Fan :

- Allows for slope or flat downrod mounting
- Reversible 3 speed motor offers super quiet operation for up or down flow
- 5 finish-reversible (oak or walnut) blades
- 3 light frosted glass light kit
- 18-1/4" total height
- Hardware finish - Polished Brass



Item # M85171
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

LIGHTING FIXTURES

Wrap Around Fixture :

- 4' with energy saving ballast
- White fixture with prismatic diffuser
- Replace with 2/ea T-12 bipin bulbs



- * Replacement lens # **M85019**
- * Replacement ballasts # **M81059**

Item # M85010
U/M - Each
White

Item # M85013
U/M - Each
Oak

Wrap Around Fixture :

- 2' with residential ballast
- White fixture with prismatic diffuser
- Replace with 2/ea T-12 bipin bulbs
- Color - White



Item # M85007
U/M - Each

- * Replacement lens # **M85016**

Undercabinet Fluorescent Fixture :

- 2'
- Steel housing
- White snap in lens
- On/Off switch
- Direct wire in
- Bulbs included



Item # M85028
U/M - Each

5 Light Chandelier :

- Polished brass colonial chandelier
- Uses five candelabra base bulbs (not included) up to 60W
- Diameter 18"
- Height 15"
- Replace with 5/ea B-10 type bulbs



Item # M85245
U/M - Each

5 Light Chandelier :

- Polished brass finish
- Ribbed glass shades
- Uses 5/ea 60W bulbs
- Size; 22-1/2"W x 13-3/4" H
- UL Listed



Item # M85242
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

LIGHTING FIXTURES

Mushroom Design Ceiling Fixture :

- White glass
- 8" width
- Extends 3-3/4"
- 60W maximum wattage
- Replace with 1/ea A-19 type bulb



Item #	U/M	Trim
M85239	Each	Brass
M85296	Each	White

Prismatic Glass Ceiling Fixture :

- Clear and white prismatic glass shade
- 60W maximum wattage
- Replace with 2/ea A-19 type bulbs



Item #	U/M	Diameter	Height
M85284	Each	8-3/4"	5-1/8"
M85292	Each	10-3/4"	5-3/8"

Pineapple Glass Ceiling Fixture :

- Crystal glass
- Polished brass finish
- 5" width
- Extends 6-1/2"
- 60W maximum wattage
- Replace with 1/ea A-19 type bulb



Item # M85230
U/M - Each

* Replacement Glass M85530

Glass Drum Fixture :

- Clear glass
- Chrome finish
- 10-1/4" width
- Extends 4-3/4"
- 75W maximum wattage
- Replace with 2/ea A-19 type bulbs



Item #	Size	Repl. Glass
M85275	8"	M85523
M85279	10"	M85526

Ceiling Mount Globe Fixture :

- White glass
- 6" width
- Extends 8"
- 60W maximum wattage
- Replace with 1/ea A-19 type bulb



Item #	Size	Trim	Repl. Glass
M85229	6"	Brass	M85511
M85298	6"	White	M85511

Square Ceiling Fixture :

- White glass
- 12" width
- Extends 5"
- 60W maximum wattage
- Replace with 2/ea A-19 bulbs



Item # M85302
U/M - Each

* Replacement Glass M85561



MILL SUPPLY CO., INC.


Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

INDOOR WALL FIXTURES

Bathroom Striplite :

- Chrome finish
- 60W maximum wattage
- Can be installed with white or clear bulbs
- Replace with G-40 type bulbs



Item #	U/M	Size	Lights
M85203	Each	18"	3
M85206	Each	24"	4
M85209	Each	30"	5
M85212	Each	36"	6
M85215	Each	48"	8

Bathroom Fixture :

- White finish
- White ceramic glass
- Has grounded convenience outlet
- 75W maximum wattage
- 4-1/2" x 7-1/2"
- Extends 4-1/2"
- Replace with 1/ea A-19 type bulbs



Item # M85218
U/M - Each

* Replacement Glass M85517

Bathroom Fixture :

- White finish
- White ceramic glass
- Has grounded convenience outlet
- 75W maximum wattage
- 12" x 7-1/2"
- Extends 4-1/2"
- Replace with 2/ea A-19 type bulbs



Item # M85221
U/M - Each

* Replacement Glass M85564

Bathroom Wall Fixture:

- White with a clear bottom
- Chrome wall bracket
- Convenience outlet
- 4-3/4" x 4-3/4"
- Extends 8"
- 100W maximum wattage
- Replace with 1/ea A-19 type bulbs



Item # M85227
U/M - Each

Bathroom Fixture :

- White ceramic glass
- Has grounded convenience outlet
- 24" x 4-1/2"
- Extends 4-1/2"
- 75W maximum wattage
- Replace with 4/ea A-19 type bulbs



Item # M85224
U/M - Each

* Replacement Glass M85567



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

OUTDOOR FIXTURES

Black Wall Lantern :

- Black polycarbonate finish
- Clear ribbed glass
- 4-1/2" x 6"
- Extends 5-3/4"
- 60W maximum wattage
- Replace with 1/ea A-19 type bulb



Item # M85336
U/M - Each

Fluorescent Wall Fixture :

- High impact, weather resistant housing
- Dusk to dawn photoelectric sensor
- 13w cool white compact fluorescent bulb included
- Size; 11-5/8"H x 9-1/8"W x 10-3/8"D
- Color - Bronze



Item # M85340
U/M - Each

Cylindrical Glass Wall Lantern :

- Black finish
- Ribbed crystal glass
- 4-1/2" x 6-1/2"
- Extends 5-1/2"
- 75W maximum wattage
- Replace with 1/ea A-19 type bulb



Item # M85329
U/M - Each

* Replacement Glass # M85514

Cylindrical Glass Wall Lantern w/Photoelectric Sensor :

- Black polycarbonate finish
- Clear ribbed glass
- Size; 6"H x 6" extension
- Dusk to dawn photoelectric sensor
- 60W maximum wattage
- Replace with 1/ea A-19 type bulb



Item # M85333
U/M - Each

* Replacement Glass # M85514

Security Wall / Ceiling Light :

- Prismatic polycarbonate diffuser with ultra violet inhibitors to minimize discoloration (vandal resistant)
- 120v ballast
- 70w high pressure sodium bulb included
- UL & CUL listed
- Size; 9" x 9" square



Item # M85362
U/M - Each

Security Wall / Ceiling Light :

- Prismatic polycarbonate diffuser with ultra violet inhibitors to minimize discoloration (vandal resistant)
- 120v ballast
- 150w high pressure sodium bulb included
- UL & CUL listed
- Size; 12" x 12" square



Item # M85365
U/M - Each

Security Wall Light :

- Dusk to dawn photocell
- Constructed of industrial grade vandal resistant polycarbonate materials
- 70w high pressure sodium bulb included
- UL & CUL listed
- Size; 6-3/4"W x 11"H x 5-1/2"D



Item # M85357
U/M - Each

Security Wall Light :

- Quality glass lens will not discolor
- Heavy-duty die-cast housing
- UL & CUL listed
- 150w high pressure sodium bulb included
- Size; 12-3/4"W x 9-1/2"H x 7-1/2"D



Item # M85359
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

FLUORESCENT STARTERS / PHOTO CONTROLS

Fluorescent Starters :

- All purpose two terminal standard starter accurately timed to combine starts with long bulb life
- For use where lights are turned on more than 5 times daily. Also in devices where life expectancy in less than 2 years
- Sold in packs of 2 only



Item #	U/M	Description	Mfg. No.
M81006	Pack	15 & 20 watt fixtures	FS-2B
M81015	Pack	30 & 40 watt fixtures	FS-4B
M81003	Pack	4, 6 and 8 watt fixtures	FS-5B
M81018	Pack	32 watt circline fixtures	FS-12B
M81012	Pack	25 watt fixtures	FS-25B

Fluorescent Lamp Holder :

- 660W/600V
- White
- Slide on medium bi-pin style
- 2.03" height



Item # M85043
U/M - Each

Stem Mounting Photo Control :



- Mfg. # K4121C
- 120 volts AC
- 50/60 hz
- 1800 watts tungsten
- 8.3 amps. ballast
- Stem mounting
- Light level slide adjustment



Item # M82079
U/M - Each

Fixed Position Mounting Photo Control :



- Mfg. # K4321C
- 120 volts AC
- 50/60 hz
- 1800 watts tungsten
- 8.3 amps. ballast
- Includes weatherproof wall plate with neoprene gasket



Item # M82082
U/M - Each

Socket Photo Control :

- Screws in light socket like a bulb
- For use in driveways, entrances, & patio lights
- 120 volt



Item # M82086
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240


Toll Free 1-800-817-8183
Online: www.millsupplyco.com

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT


MEDICINE CABINET DIFFUSERS

DIFFUSERS ARE SOLD
BY THE EACH

DIFFUSERS ARE ACTUAL SIZE



Item # M70907
U/M - Each
28-1/16" length



Item # M89026
U/M - Each
27-1/2" length

Item # M89023
U/M - Each
23-1/2" length

Item # M89020
U/M - Each
27-11/16" length

Item # M89016
U/M - Each
23-11/16" length

Item # M89018
U/M - Each
35-11/16" length



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

ELECTRICAL BOXES

Metal Switch Box :

- L type bracket, 1/2" knockouts
- 3" long x 2" wide x 2-1/2" deep
- 2 holes all 3 sides, 1 hole top and bottom
- Raco # 8500



Item # M81524
U/M - Each

Metal Switch Box w/Romex Clamps :

- L type bracket
- 3" long x 2" wide x 2-1/2" deep
- Two loom or romex knockouts and 1/2" in each end
- Two 1/2" knockouts in 2 sides
- One 1/2" knockout on bottom
- Raco # 8519



Item # M81530
U/M - Each

Metal Shallow Switch Box :

- 1-1/2" deep
- Nongangable, 3" x 2"
- 7.5 cubic inches
- NMSC clamps
- Raco # 410



Item # M81520
U/M - Each

Metal Switch Box w/ Strap :

- 3" long x 2" wide x 2-1/2 deep
- Two loom or romex knockouts and one 1/2" in each end
- Two 1/2" knockouts in one side and bracket welded on opposite side
- One 1/2" knockout on bottom
- Clamps and 10/32" deep slotted screws included
- Raco # 8531



Item # M81534
U/M - Each

PVC Plastic Switch Box For Old Work :

- 2-29/32" deep (1g), 2-13/16" deep (2g)
- 15 cubic inches
- Four integral clamps
- Swing Arms, ears
- Accommodates wiring devices such as switches and receptacles



Item #	U/M	Description	Mfg. #
M81546	Each	Single Gang	7887
M81554	Each	Two Gang	7488

PVC Plastic Outlet Box For New Work :

- 18 cubic inches
- Captive nails included
- 2-7/8" deep (1g), 3" deep (2g), 2-11/16" deep (3g)



Item #	U/M	Description	Knockouts
M81542	Each	Single Gang	4
M81559	Each	Two Gang	8
M81571	Each	Three Gang	12



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

ELECTRICAL BOXES & COVERS

Metal Utility Box :

- 1/2" knockouts, 4" long x 2-1/8" wide
- Three 1/2" knockouts in two sides
- One 1/2" knockout in each end
- Three 1/2" knockouts and mounting holes on bottom
- Raco # 8660



Item # M81576
U/M - Each

Utility Box Toggle Cover :

- Metal cover for utility box
- Includes screws
- Size; 2-5/16" x 4-3/16"
- Raco # 865



Item # M81551
U/M - Each

Utility Box Receptacle Cover :

- Metal cover for utility box
- Includes screws
- Size; 2-5/16" x 4-3/16"
- Raco # 864



Item # M81550
U/M - Each

Utility Box Blank Cover :

- Metal cover for utility box
- Includes screws
- Size; 2-5/16" x 4-3/16"
- Raco # 860



Item # M81549
U/M - Each

Metal 4" Square Outlet Box :

- Three 1/2" knockouts each side
- Five knockouts on the bottom
- Includes 8/32" x 1/2" screws
- Raco # 8192



Item # M81563
U/M - Each

Metal Octagonal Outlet Box :

- 4 inch, 1-1/2" deep
- Two loom in 2 sides
- One 1/2" knockout in opposite sides
- One 1/2" knockout on bottom
- Two clamps with screws and four nail holes included
- Raco # 8146



Item # M81508
U/M - Each

Metal Octagonal Outlet Box :


- 4 inch, 1-1/2" deep
- One 1/2" knockout in four sides
- Five 1/2" knockouts on bottom
- Raco # 8125



Item # M81504
U/M - Each

Square Outlet Box Cover :


- 4" flat square
- Raco # 8752



Item # M81564
U/M - Each

Octagonal Outlet Box Cover :

- 4" flat octagon
- Raco # 722



Item # M81519
U/M - Each

Octagonal Outlet Box Cover With 1/2" Knock Out :

- 4" flat octagon
- 1/2" knock out
- Raco # 724



Item # M81518
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

WEATHERPROOF DEVICES

Receptacle Cover :



- 1 gang self-closing
- For duplex receptacle, switches or combination devices
- Gasket and screws included
- Color - Grey
- Bell # 5146



Item # M81594
U/M - Each

Receptacle Cover :



- 2 gang self-closing
- For duplex receptacle, switches or combination devices
- Gasket and screws included
- Color - Grey
- Bell # 5148



Item # M81595
U/M - Each

Receptacle Cover Horizontal :



- 1 gang self-closing
- For duplex receptacle, switches or combination devices
- Gasket and screws included
- Color - Grey
- Horizontal mount
- Bell # 5180



Item # M81593
U/M - Each

Device Cover :



- 1 gang self-closing
- For single switch or receptacle
- Gasket and screws included
- Color - Grey
- Bell # 5155



Item # M81590
U/M - Each

GFCI Device Cover :



- 1 gang self-closing
- For single GFCI receptacle
- Gasket and screws included
- Color - Grey
- Bell # 5103



Item # M81598
U/M - Each

Receptacle Cover Horizontal :



- 1 gang self-closing
- For single GFCI receptacle
- Gasket and screws included
- Color - Grey
- Horizontal mount
- Bell # 5101



Item # M81597
U/M - Each

Switch Cover :



- Single gang cover is supplied with an "on-off" switch
- SP 125V, 10A rated
- Includes all installation hardware
- Color - Grey
- Bell # 5121



Item # M81560
U/M - Each

4" Round Splice Box :



- 4" diameter x 1-1/2" depth
- For use as a junction box or in round cluster cover and lampholder combinations
- 5/ea 1/2" holes
- Color - Grey
- Bell # 5361



Item # M81578
U/M - Each

Outlet Box :



- 2" deep
- Die cast aluminum
- Single gang box has 3/ea 1/2" holes
- Two gang box has 5/ea 1/2" holes
- Color - Grey



Item #	U/M	Description	Mfg. #
M81579	Each	Single Gang	5320
M81580	Each	Two Gang	5337

Lampholder :



- Adjustable
- For wet locations
- Use 75-150 watt maximum PAR-38 lamp
- Includes all mounting hardware
- Color - Grey
- Bell # 5606



Item # M82275
U/M - Each

Lampholder Cluster :



- Covers 3/ea 1/2" holes
- Provides an easy means of mounting for lampholders and other accessories
- Includes 2/ea closure plugs
- Color - Grey
- Bell # 5189



Item # M81589
U/M - Each

Outlet Box Covers :



- Includes gasket and all installation hardware
- For use where weatherproof is required for an outlet box
- Color - Grey



Item #	U/M	Description	Mfg. #
M82487	Each	Single Gang	5320
M82488	Each	Two Gang	5175



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT

WIRE CONNECTORS & CABLE

Electrical Tape :

- All purpose tape
- UL listed
- Suitable for use at not more than 600 V and not more than 80 deg. C (176 deg. F)
- 3/4" x 60'



Item # M10044
U/M - Roll



3M Electrical Tape :

- Scotch Super 33+ Vinyl Electrical Tape
- UL listed. Flame retardant
- Professional quality
- Stretchy, comfortable, vinyl plastic
- Insulates and protects against abrasion, weather, water, solvent splashes, and chemicals
- 3/4" x 66'



Item # M10040
U/M - Roll



Black UV Cable Ties :



- Fastenes wires, cables, hose, and ducts
- Doublelock design ensures 50% more tensile strength than industry standards
- 75lb. tensile strength
- Temperature range -40 to 185 degrees F.



Item #	U/M	Length	Qty. per pack
M81379	Pack	8"	100/ea
M81380	Pack	11"	8/ea
M81381	Pack	11"	100/ea

Romex Connector :

- Two screw clamp connector for 1/2" knockouts
- Die cast zamak
- For romex armored cable
- 3/8" NM/SE conduit connector



Item # M81348
U/M - Each



Nail Plates :

- Used to protect internal wire runs from nail punctures
- Indoor use only
- 1-1/2" x 2-1/2"
- Steel
- 50 each per box
- Sold per box only



Item # M82033
U/M - Box

Wire Cable :

- Type NM-B Romex
- Indoor use only
- Sold by the roll



Item #	U/M	Length	Gauge	Amp
M81210	Roll	250'	10-2	30
M81212	Roll	250'	12-2	20
M81224	Roll	250'	14-2	10

Metal Cable Staples :

- 1" long x 1/2" wide
- 100 per box



Item # M82029
U/M - Box



Plastic Cable Staples :

- 3/4" long x 3/8" wide
- Recessed nails for minimum exposure
- Smooth 3/8" saddle prevents damage to insulation
- 100 per box




Item # M82030
U/M - Box



Switch Box Support :

- Use to mount switch box with plaster ears to hollow wall
- Sold by the each



Item # M81744
U/M - Each

Wire Nuts :

- 100 wire nuts per box
- Sold by the box only



Item #	U/M	Size	Color
M81312	Box	Small	Gray
M81309	Box	Medium	Blue
M81304	Box	Large	Orange
M81306	Box	X-Large	Yellow
M81310	Box	Jumbo	Red

Al/Cu Wire Connectors :

- Aluminum-to-copper connector provides a secure connection while preventing aluminum corrosion
- Specially formulated corrosion resistant compound provides cooler connections and increased conductivity
- Accepts 1 #12 Al sol. w/ 1 #18 Cu AWG min and 1 #10



Item #	U/M	Qty. per pack
M81315	Pack	2/ea
M81316	Box	100/ea

Terminal Kit :

- Kit includes sleek multi-use stripper-crimper, 100 assorted insulated terminals in a convenient 11 compartment reclosable and carrying case



Item # M81395
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

FIXTURES / SOCKETS / SWITCHES

Porcelain Fixture w/ Pull Chain :

- 4-1/2" Diameter
- Fits 3-1/4" or 4" box size
- 600 watts
- 250 volts



Item # M82187
U/M - Each

Keyless Porcelain Fixture :

- 4-1/2" diameter
- Fits 3-1/4" or 4" box size
- 660 watts
- 250 volts



Item # M82184
U/M - Each

Interior Lamp Holder :

- Medium base
- Phenolic body
- Aluminum screw shell



Item # M82005
U/M - Each

Twin Cluster Socket w/8" Leads :

- 660 watts
- 250 volts
- 18 gauge
- 105 degree leads
- 1/8" IP threads
- Medium base



Item # M82249
U/M - Each

Single Pole Rotary Canopy Switch :

- 3A 125V, 1A 125V "T", 1A 250V
- Single pole circuit
- On/Off sequence
- Meets all UL 20 requirements



Item # M82166
U/M - Each

Compact Single Circuit Pull Chain Switch :

- 6A 125V AC, 3A 125V "T", 3A 250V AC
- Single pole circuit
- On/Off sequence
- Meets all UL 20 requirements



Item # M82152
U/M - Each

Toggle Switch :

- 6A 120V AC rating
- 3A 250V AC rating
- SPST circuit
- On/Off sequence
- Meets all UL 20 requirements



Item # M82162
U/M - Each

3-Way Switches - 2 Circuit :

- 3A 125V "T", 1A 250V
- Two circuit
- Lo-Med-Hi-Off sequence
- Meets all UL 20 requirements



Item # M82169
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

OUTLETS / CAPS / FIXTURE ACCESSORIES

Surface Range Receptacle :



- 3 wire / 50 amp
- Allows for wiring from bottom or back
- Black



Item # M82106
U/M - Each

Surface Range Receptacle :



- 4 wire / 50 amp
- Allows for wiring from bottom or back
- Black



Item # M80098
U/M - Each

Flush Range Receptacle :

- Commercial grade, flush mount
- Meets all UL498 requirements
- Heavy gauge steel mounting strap, zinc plated for corrosion resistance
- For use with copper or aluminum wire, 75 degrees Celsius rated terminals
- Fits one or two gang enclosures
- 125/250V - 50amp
- Brown



Item #	U/M	Wire
M82107	Each	3 Wire
M80095	Each	4 Wire

Surface Dryer Receptacle :



- 3 wire / 30 amp
- Allows for wiring from bottom or back
- Black



Item # M82108
U/M - Each

Surface Dryer Receptacle :



- 4 wire / 30 amp
- Allows for wiring from bottom or back
- Black



Item # M80099
U/M - Each

Flush Dryer Receptacle :

- Commercial grade, flush mount
- Meets all UL498 requirements
- Heavy gauge steel mounting strap, zinc plated for corrosion resistance
- For use with copper or aluminum wire, 75 degrees Celsius rated terminals
- Fits one or two gang enclosures
- 125/250V - 30amp
- Brown



Item #	U/M	Wire
M82109	Each	3 Wire
M80097	Each	4 Wire

Grounding 3-Way Tap :



- 15 amp, 125 volts
- Heavy-duty single receptacle to 3 outlets



Item # M80045
U/M - Each

Female Cap :



- Black rubber
- 15 amp, 125 volts
- 2 pole, 3 wire grounding



Item # M80049
U/M - Each

Male Cap :



- Black vinyl handle plug w/cord clamp
- 15 amp, 125 volts
- 2 pole, 3 wire grounding



Item # M80047
U/M - Each

Grounding Adapter :



- UL listed
- 2 pole polarized to 3 wire grounding
- 15A, 125 volts



Item # M80046
U/M - Each

Jiffy Plug :



- Flat vinyl plug
- 15 amp, 125 volts
- 2 pole, 2 wire
- **Brown**



Item # M80043
U/M - Each

Jiffy Plug :



- Flat vinyl plug
- 15 amp, 125 volts
- 2 pole, 2 wire
- **White**



Item # M81235
U/M - Each

Plastic Lock-Up Cap :

- 1/8" IP
- 3/4" width
- Sold by the each



Item # M82049
U/M - Each

Pull Chain String :

- 3' with end bell and connector



Item # M82016
U/M - Each

White Plastic Candle Covers :

- 13/16" inside diameter
- 7/8" outside diameter
- Sold by the each



Item #	U/M	Length
M82055	Each	3"
M82056	Each	4"



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

TIMERS / TELEPHONE - TV ACCESSORIES

24 Hour Timer :

- General purpose NEMA-1 enclosure
- 120 volts
- Single pole, single throw
- Includes 2 on-trippers, 2 off-trippers
- Mfg # T-101



Item # M82094
U/M - Each

24 Hour Timer :

- General purpose NEMA-1 enclosure
- 120 volts
- Double pole, single throw
- Includes 2 on-trippers, 2 off-trippers
- Mfg # T-103



Item # M82099
U/M - Each

Spring Wound Wall Switch Timer :



- Fits a standard 2-1/2" deep wall box with commercial wall plate or mounts easily in a panel board
- Switch rating: inductive: 20amp 125volt AC 50/60Hz; 10amp 250volt AC 50/60Hz; 10amp 277volt AC 50/60Hz.
- Tungsten: 7amp 125volt AC.
- Motor: 1hp 125volt AC 50/60Hz. 2hp 250volt AC 50/60Hz.
- Switch SPST off type
- Brushed aluminum wall plate included
- 30 minute spring wound - no hold
- Mfg # FF30MC



Item # M82092
U/M - Each

Telephone Wall Jack :

- Flush rectangular
- Screws included
- Ivory



Item #	U/M	Color
M82426	Each	Ivory
M82427	Each	White

Telephone Wall Jack :

- Standard mount
- Screws included
- Ivory



Item #	U/M	Color
M82499	Each	Ivory
M82500	Each	White

Telephone Wall Jack :

- Surface mount
- Screws included
- Ivory



Item # M82438
U/M - Each

Wall Plate for Coaxial Cable :

- Flush mount
- Screws included



Item #	U/M	Color
M82410	Each	Ivory
M82411	Each	White

Coaxial Cable :

- Quad shield RG6/U type 75 ohm cable
- 18AWG solid bare copper weld center conductor
- Polyvinyl chloride jacket
- Operating temperature -20C to +60C
- For video display, p.o.s. terminals, and CATV applications swept to 3.0 GHz.
- 1000' per roll
- Sold per roll only



Item # M82451
U/M - Roll

Crimp-On Coaxial Connector :

- Gold plated connectors for RG6 - Type F
- 10 pack each pack
- Sold per pack only



Item # M82462
U/M - Pack

Twist-On Coaxial Connector :

- Nickel-plated connectors for reliable contact
- RG6 - Type F
- Environmentally friendly lead-free construction
- 10 each per pack
- Sold per pack only



Item # M82463
U/M - Pack

Coaxial Strip & Crimp Tool :

- Crimping tool for both RG59 and RG6 coaxial cable



Item # M82473
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

EXTENSION / DRYER / RANGE CORDS

Heavy-Duty Extension Cords :

- UL listed, 3 conductor - vinyl
- Safety orange
- Meets OSHA requirements for outdoor and indoor use



Item #	Gauge	Length
M80010	12/3	25'
M80013	14/3	25'
M80016	16/3	25'
M80019	12/3	50'
M80021	14/3	50'
M80024	16/3	50'
M80027	14/3	100'
M80030	16/3	100'

Vinyl Cube Tap Extension Cords :

- UL listed
- Brown
- For indoor use



Item #	Gauge	Length
M80004	16/2	6'
M80007	16/2	12'

Power Block :

- U.L. listed
- 12/3 gauge
- 2' long cord
- 125V / 1875 Watt
- Color - Orange



Item # **M80002**
U/M - Each

Contractor Grade Power Blocks :

- U.L. listed / Meets OSHA Spec.
- 12/3 gauge
- 15amp/ 125volt
- Color - Yellow



Item #	U/M	Length
M80020	Each	50'
M80028	Each	100'

Trouble Light :

- UL listed
- 16/3 gauge
- 25' long cord



Item # **M80052**
U/M - Each

Dryer Cord :

- UL listed
- 30 amp
- Gray
- 3 prong

Dryer Cord :

- UL listed
- 30 amp
- Gray
- 4 prong, 4' length

Item # **M80065**
U/M - Each



Item #	U/M	Length
M80064	Each	4'
M80068	Each	6'

Range Cord :

- UL listed
- 50 amp
- Gray
- 3 prong



Item #	U/M	Length
M80072	Each	4'
M80075	Each	6'

Range Cord :

- UL listed
- 50 amp
- Gray
- 4 prong



Item #	U/M	Length
M80073	Each	4'
M80076	Each	6'



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

WIRING DEVICES

AC Quiet Wall Switches :



- Residential grade
- Side and back wired with ground
- Single pole, 15 amp, 120V
- CO/ALR - is for aluminum and copper wire
- CO/ALR - has no quick wire back



Item #	UM	Description
M82134	Each	Single Pole Ivory
M82530	Each	Single Pole White
M82141	Each	Three-Way Ivory
M82142	Each	Three-Way White
M82174	Each	Single Pole Ivory (CO/ALR)
M82175	Each	Single Pole White (CO/ALR)
M82177	Each	Three-Way Ivory (CO/ALR)
M82178	Each	Three-Way White (CO/ALR)

AC Quiet Decorator Wall Switches :



- Residential grade
- Side and back wired with ground
- Single pole, 15 amp, 120V
- Does not include cover plate



Item #	U/M	Color
M82125	Each	Ivory
M82126	Each	White

- * Item # - M82518 Ivory Cover Plate
- * Item # - M82519 White Cover Plate

Rotary Dimmer :



- Single pole
- 600 watts / 120 volts
- Includes **both** white & ivory knobs

Item # M82193
U/M - Each



AC Combination Switches :



- Commercial specification grade
- Single pole, 15 amp

Item #	U/M	Color
M82136	Each	Ivory
M82137	Each	White



AC Combination Switch & Receptacle :



- Commercial specification grade
- Single pole, 15 amp
- 120V switch
- 125V receptacle

Item #	U/M	Color
M82144	Each	Ivory
M82145	Each	White



Decorator Receptacles :



- Residential grade
- 15 amp, 125V
- Tamper Resistant (TR) Meets 2008 NEC Code.

Item #	U/M	Description
M82129	Each	Ivory
M82130	Each	White
M82131	Each	Ivory - (TR)
M82132	Each	White - (TR)



Duplex Receptacle :



- Residential grade
- 15 amp, 125V
- CO/ALR - is for aluminum and copper wire
- CO/ALR - has no quick wire back
- Tamper Resistant Meets 2008 NEC Code.



Item #	U/M	Description
M82149	Each	Ivory
M82492	Each	White
M82182	Each	Ivory (CO/ALR)
M82183	Each	White (CO/ALR)
M82150	Each	Ivory - Tamper Resistant
M82153	Each	White - Tamper Resistant

Ground Fault Interrupt (GFCI) :



- 15 amp, 125V at receptacle
- 20 amp, 125V feed through
- Meets all OSHA requirements
- Includes cover plate
- Tamper Resistant (TR) Meets 2008 NEC Code.

Item #	U/M	Description
M82231	Each	Ivory
M82233	Each	White
M82232	Each	Ivory (TR)
M82234	Each	White (TR)



Ground Fault Interrupt (GFCI) w/Toggle Switch :



- (GFCI) 15 amp, 125V at receptacle
- (GFCI) 20 amp, 125V feed through
- Meets all new UL943 safety standards
- (Switch) 15A-120V 60Hz AC only; for motor loads of 12 full-load amps max. not to exceed 1/2 HP
- Includes cover plate

Item #	U/M	Color
M82237	Each	Ivory
M82239	Each	White



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

WALL PLATES

1 Gang Toggle Plate :


- Includes screws



Item #	U/M	Description	Width	Height
M82526	Each	Metal Std. Ivory Wrinkle	2-3/4"	4-1/2"
M82512	Each	Metal Maxi White Smooth	3-1/2"	5"
M82511	Each	Metal Maxi Ivory Wrinkle	3-1/2"	5"
M82483	Each	Metal Jumbo White Smooth	3-1/2"	5-1/2"
M82484	Each	Metal Jumbo Ivory Wrinkle	3-1/2"	5-1/2"
M82523	Each	Plastic Midi Ivory Smooth	3-1/8"	4-7/8"
M82524	Each	Plastic Midi White Smooth	3-1/8"	4-7/8"

2 Gang Toggle Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82652	Each	Metal Std. Ivory Wrinkle	4-9/16"	4-1/2"
M82609	Each	Metal Maxi Ivory Wrinkle	4-5/8"	5"
M82622	Each	Metal Maxi White Smooth	4-5/8"	5"
M82648	Each	Metal Jumbo Ivory Wrinkle	5-1/2"	5-1/2"
M82649	Each	Metal Jumbo White Smooth	5-1/2"	5-1/2"
M82624	Each	Plastic Midi Ivory Smooth	4-7/8"	4-15/16"
M82626	Each	Plastic Midi White Smooth	4-7/8"	4-15/16"

3 Gang Toggle Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82831	Each	Metal Std. White Smooth	6-3/8"	4-1/2"
M82830	Each	Metal Maxi Ivory Wrinkle	6-3/8"	5"
M82819	Each	Metal Jumbo Ivory Wrinkle	7-1/2"	5-1/2"
M82841	Each	Plastic Midi Ivory Smooth	6-3/4"	4-7/8"
M82842	Each	Plastic Midi White Smooth	6-3/4"	4-7/8"

2 Gang Toggle / Duplex Receptacle Plate :


- Includes screws



Item #	U/M	Description	Width	Height
M82640	Each	Metal Maxi White Smooth	4-5/8"	5"
M82610	Each	Metal Maxi Ivory Wrinkle	4-5/8"	5"
M82636	Each	Metal Jumbo Ivory Wrinkle	5-1/2"	5-1/2"
M82638	Each	Metal Jumbo White Smooth	5-1/2"	5-1/2"
M82616	Each	Plastic Midi Ivory Smooth	4-7/8"	4-15/16"
M82618	Each	Plastic Midi White Smooth	4-7/8"	4-15/16"

3 Gang Double Toggle / Duplex Receptacle Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82825	Each	Metal Maxi Ivory Wrinkle	6-3/8"	5"
M82806	Each	Metal Jumbo Ivory Wrinkle	7-1/2"	5-1/2"
M82804	Each	Metal Jumbo White Smooth	7-1/2"	5-1/2"
M82826	Each	Plastic Midi Ivory Smooth	6-3/4"	4-7/8"
M82827	Each	Plastic Midi White Smooth	6-3/4"	4-7/8"

2 Gang Blank / Toggle Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82613	Each	Plastic Midi Ivory Smooth	4-7/8"	4-15/16"
M82615	Each	Plastic Midi White Smooth	4-7/8"	4-15/16"

2 Gang Blank / Duplex Receptacle Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82617	Each	Plastic Midi Ivory Smooth	4-7/8"	4-15/16"
M82619	Each	Plastic Midi White Smooth	4-7/8"	4-15/16"

1 Gang Duplex Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82493	Each	Metal Std. Ivory Wrinkle	2-3/4"	4-1/2"
M82502	Each	Metal Maxi Ivory Wrinkle	3-1/2"	5"
M82491	Each	Metal Maxi White Smooth	3-1/2"	5"
M82532	Each	Metal Jumbo Ivory Wrinkle	3-1/2"	5-1/2"
M82531	Each	Metal Jumbo White Smooth	3-1/2"	5-1/2"
M82517	Each	Plastic Midi Ivory Smooth	3-1/8"	4-7/8"
M82521	Each	Plastic Midi White Smooth	3-1/8"	4-7/8"



MILL SUPPLY CO., INC.


Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

WALL PLATES

2 Gang Duplex Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82606	Each	Metal Maxi Ivory Wrinkle	4-5/8"	5"
M82632	Each	Metal Jumbo Ivory Wrinkle	5-1/2"	5-1/2"
M82612	Each	Plastic Midi Ivory Smooth	4-7/8"	4-15/16"
M82608	Each	Plastic Midi White Smooth	4-7/8"	4-15/16"

1 Gang Blank Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82496	Each	Metal Std. Ivory Wrinkle	2-3/4"	4-1/2"
M82505	Each	Metal Maxi Ivory Wrinkle	3-1/2"	5"
M82481	Each	Metal Jumbo Ivory Wrinkle	3-1/2"	5-1/2"
M82480	Each	Metal Jumbo White Smooth	3-1/2"	5-1/2"
M82497	Each	Plastic Midi Ivory Smooth	3-1/8"	4-7/8"
M82498	Each	Plastic Midi White Smooth	3-1/8"	4-7/8"

1 Gang GFI (Decorator) Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82508	Each	Metal Maxi Ivory Wrinkle	3-1/2"	5"
M82476	Each	Metal Maxi White Smooth	3-1/2"	5"
M82478	Each	Metal Jumbo Ivory Wrinkle	3-1/2"	5-1/2"
M82479	Each	Metal Jumbo White Smooth	3-1/2"	5-1/2"
M82520	Each	Plastic Midi Ivory Smooth	3-1/8"	4-7/8"
M82522	Each	Plastic Midi White Smooth	3-1/8"	4-7/8"

2 Gang GFI/Toggle Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82607	Each	Metal Maxi Ivory Wrinkle	6-3/8"	5"
M82644	Each	Metal Jumbo Ivory Wrinkle	5-1/2"	5-1/2"
M82614	Each	Metal Jumbo White Smooth	5-1/2"	5-1/2"
M82620	Each	Plastic Midi Ivory Smooth	4-7/8"	4-15/16"
M82621	Each	Plastic Midi White Smooth	4-7/8"	4-15/16"

3 Gang GFI/Double Toggle Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82801	Each	Metal Jumbo Ivory Wrinkle	7-1/2"	5-1/2"
M82822	Each	Metal Jumbo White Smooth	7-1/2"	5-1/2"
M82823	Each	Plastic Midi Ivory Smooth	6-3/4"	4-7/8"
M82824	Each	Plastic Midi White Smooth	6-3/4"	4-7/8"

2 Gang GFI/Duplex Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82604	Each	Metal Maxi Ivory Wrinkle	6-3/8"	5"

2 Gang GFI Plate :


- Includes screws



Item #	U/M	Description	Width	Height
M82666	Each	Plastic Midi Ivory Smooth	4-7/8"	4-15/16"
M82668	Each	Plastic Midi White Smooth	4-7/8"	4-15/16"

3 Gang GFI Plate :

- Includes screws



Item #	U/M	Description	Width	Height
M82844	Each	Plastic Midi Ivory Smooth	6-3/4"	4-7/8"
M82846	Each	Plastic Midi White Smooth	6-3/4"	4-7/8"



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

CIRCUIT BREAKERS

Interchangeable Single Pole :

- Will fit most General Electric, General Switch, ITE, Murray, American Switch, Westinghouse Type BR and Bryant
- Single pole
- U.L. Classified
- 1" width



Item #	U/M	Description
M86201	Each	15 Amp
M86203	Each	20 Amp
M86205	Each	30 Amp

Interchangeable Twin Single Pole :

- Will fit most General Electric, General Switch, ITE, Murray, American Switch, Westinghouse Type BR and Bryant
- Twin single pole
- U.L. Classified
- 1" width



Item #	U/M	Description
M86212	Each	15/15 Amp
M86215	Each	20/20 Amp

Interchangeable Double Pole :

- Will fit most General Electric, General Switch, ITE, Murray, American Switch, Westinghouse Type BR and Bryant
- Double pole
- U.L. Classified
- 1-7/8" width



Item #	U/M	Description
M86220	Each	20 Amp
M86222	Each	30 Amp
M86224	Each	40 Amp
M86226	Each	50 Amp
M86228	Each	60 Amp

Cutler Hammer Type CH Single Pole :

- Plug in
- Requires 1/ea 3/4" space
- Quick make, quick break switch, inverse time element tripping operation and trip free handle
- Thermal magnetic trip curve
- U.L. Listed
- HACR rated
- Meets NEMA standards and Federal Specifications
- CSA Certified
- 120 volt AC. 10,000 AIR



Item #	U/M	Description
M86001	Each	15 Amp
M86002	Each	20 Amp
M86003	Each	30 Amp

Cutler Hammer Type CH Twin Single Pole :

- Plug in
- Requires 1/ea 3/4" space
- Quick make, quick break switch, inverse time element tripping operation and trip free handle
- Thermal magnetic trip curve
- U.L. Listed
- HACR/SWD rated
- Meets NEMA standards and Federal Specifications
- CSA Certified
- 120 volt AC. 10,000 AIR
- 20/20 Amp



Item # **M86033**
U/M - Each

Cutler Hammer Type CH Double Pole :

- Plug in
- Requires 2/ea 3/4" space
- Quick make, quick break switch, inverse time element tripping operation and trip free handle
- Thermal magnetic trip curve
- U.L. Listed
- HACR rated
- Meets NEMA standards and Federal Specifications
- CSA Certified
- 120 volt AC. 10,000 AIR



Item #	U/M	Description
M86015	Each	15 Amp
M86016	Each	20 Amp
M86017	Each	30 Amp
M86018	Each	40 Amp
M86019	Each	50 Amp
M86020	Each	60 Amp
M86025	Each	100 Amp



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

CIRCUIT BREAKERS

Square D QO Series Single Pole :

- For use with QO load centers, NQOD panelboards/interiors and Speed-D switchboard distribution panels
- U.L. Listed / CSA Certified
- Visi-trip indication
- HACR rated / 120/240VAC
- 3/4" width



Item #	U/M	Description
M86101	Each	15 Amp
M86102	Each	20 Amp
M86103	Each	30 Amp

Square D QO Series Twin Single Pole :

- For use with QO load centers, NQOD panelboards/interiors and Speed-D switchboard distribution panels
- U.L. Listed / CSA Certified
- Visi-trip indication
- HACR rated / 120/240VAC
- 3/4" width



Item #	U/M	Description
M86125	Each	15/15 Amp
M86126	Each	20/20 Amp

Square D QO Series Double Pole :

- For use with QO load centers, NQOD panelboards/interiors and Speed-D switchboard distribution panels
- U.L. Listed / CSA Certified
- Visi-trip indication
- HACR rated / 120/240VAC
- 1-1/2" width



Item #	U/M	Description
M86115	Each	15 Amp
M86116	Each	20 Amp
M86117	Each	30 Amp
M86118	Each	40 Amp
M86119	Each	50 Amp
M86120	Each	60 Amp
M86124	Each	100 Amp

Square D QO Series ARC-Fault :

- For use with QO load centers, NQOD panelboards/interiors and Speed-D switchboard distribution panels
- Designed to detect overloads, short circuits and arc faults
- U.L. Listed / CSA Certified
- Visi-trip indication
- HACR rated / 120/240VAC
- 3/4" width



Item #	U/M	Description
M86137	Each	15 Amp
M86138	Each	20 Amp

Square D QO Series GFCI :

- For use with QO load centers, NQOD panelboards/interiors and Speed-D switchboard distribution panels
- Designed to provide ground fault protection where damp location shock hazards may exist
- U.L. Listed / CSA Certified
- Visi-trip indication
- HACR rated / 120/240VAC
- 3/4" width / 20amp



Item # **M86131**
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

FUSES & CIRCUIT / VOLTAGE TESTERS

Glass Plug Fuse :

- SL Base
- 4 fuses per pack
- Sold by the each



Item #	U/M	Amp
M81108	Pack	15
M81118	Pack	20

Plug Fuse Time Delay :

- Edison base
- 4 fuses per pack
- Sold by the pack



Item #	U/M	Amp
M81109	Pack	15
M81122	Pack	20
M81127	Pack	30

Twin Probe Circuit Tester :



- Tests AC/DC Voltage from 90-500 V.
- Neon indicator glows when voltage is present and brightens as voltage increases
- Insulated housing and test leads
- Pocket clip for added convenience
- Mfg # GET-100A



Item # M82270
U/M - Each

Circuit Alert Non-Contact Voltage Detector :



- Indicates the presence of AC Voltage from 50-600 V.
- Visual (flashing) and audible (beeping) indicators signal presence of voltage, by pressing pocket clip
- Safe Test feature assures batteries are operating properly
- Mfg # GVD-504A



Item # M82264
U/M - Each

1lb. Duct Seal :



- Seals around junction boxes & cable entries
- Non-toxic
- Paintable
- Will not corrode metal
- 1lb. size



Item # M81375
U/M - Each

Auto-Ranging Clamp-On Digital Multimeter :



- Tests AC Voltage, AC Current, DC Current, Resistance, and Continuity
- Include batteries, test leads, and instructions
- 1-1/4" jaw size - for (conductors up to 1")
- Mfg # GCM-221



Item # M82267
U/M - Each

Digital Multimeter :



- Five Function / 19-Range
- Tests AC Voltage, DC Voltage, DC Current, Resistance, and Continuity
- Include batteries, test leads, and instructions
- Mfg # GDT-190A



Item # M82266
U/M - Each

Analog Multimeter :



- 16 Range
- Tests AC Voltage, DC Voltage, DC Current, Resistance, Continuity, and batteries
- Include batteries, test leads, spare fuse and instructions
- Mfg # GMT-312



Item # M82265
U/M - Each

Receptacle Tester And Circuit Analyzer :



- Plugs into any outlet
- Reveals a light pattern to detect faulty wiring
- For use in 110-125V AC circuits
- Mfg # GRT-3500



Item # M82269
U/M - Each

Ground Fault Receptacle Tester And Circuit Analyzer :



- Tests ground fault receptacles by overloading circuit and tripping GFCI
- Trips GFCI between 6-9 mA.
- Mfg # GFI-3501



Item # M82268
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343
Fax (410) 325-2240

Toll Free 1-800-817-8183
Online: www.millsupplyco.com