

# MAINTENANCE

AIR FILTERS  
DISHWASHER REPAIR  
DRYER REPAIR  
GAS LINES & REPAIR  
HEATERS & FANS  
RANGE HOODS & REPAIR  
REFRIGERATOR REPAIR  
REGISTERS & GRILLS  
STOVE PIPE  
THERMOSTATS  
WASHING MACHINE REPAIR  
WATER HEATERS & REPAIR  
VERTICAL & MINI BLINDS

New Items  
In Red

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION  
& BUILDING  
SUPPLIES

Tools

LAWN &  
GARDEN

JANITORIAL

AUTOMOTIVE

PAINT &  
SUNDRIES

INDUSTRIAL

SAFETY  
EQUIPMENT

# MAINTENANCE

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT



MILL SUPPLY CO., INC.

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

## DRYER REPAIR PARTS

### Surface Dryer Receptacle :

- Commercial grade, flush mount
- Meets all UL 498 requirements
- Heavy gauge steel mounting strap, zinc plated for corrosion resistance
- For use with copper or aluminum wire, 75 degrees Celsius rated terminals
- Allows wiring from bottom or back
- 3 wire / 30amp - 125/250V
- NEMA 10-30
- Black



COOPER Wiring Devices

**Item # M82108**  
U/M - Each

### Flush Dryer Receptacle :

- Commercial grade, flush mount
- Meets all UL 498 requirements
- Heavy gauge steel mounting strap, zinc plated for corrosion resistance
- For use with copper or aluminum wire, 75 degrees Celsius rated terminals
- Fits one or two gang enclosures
- 3 wire / 30amp - 125/250V
- NEMA 10-30
- Brown



COOPER Wiring Devices

**Item # M82109**  
U/M - Each

### Dryer Cord :

- UL Listed
- 30 amp
- 125/250V
- Grey
- 3 wire



Item #	U/M	Size
<b>M80064</b>	Each	4'
<b>M80068</b>	Each	6'

### Surface Dryer Receptacle :

- Commercial grade, flush mount
- Meets all UL 498 requirements
- Heavy gauge steel mounting strap, zinc plated for corrosion resistance
- For use with copper or aluminum wire, 75 degrees Celsius rated terminals
- Allows wiring from bottom or back
- 4 wire / 30amp - 125/250V
- NEMA 14-30
- Black



COOPER Wiring Devices

**Item # M80099**  
U/M - Each

### Flush Dryer Receptacle :

- Commercial grade, flush mount
- Meets all UL 498 requirements
- Heavy gauge steel mounting strap, zinc plated for corrosion resistance
- For use with copper or aluminum wire, 75 degrees Celsius rated terminals
- Fits one or two gang enclosures
- 4 wire / 30amp - 125/250V
- NEMA 14-30
- Black



COOPER Wiring Devices

**Item # M80097**  
U/M - Each

### Dryer Cord :

- UL Listed
- 30 amp
- 125/250V
- Black
- 4 wire
- 4' length



**Item # M80065**  
U/M - Each

### Aluminum Flexible Duct :



- Supurr-Flex / Fire resistant
- \*UL 181 Class 1 air connector is the premier flexible multi-layered flexible metallic duct for your HVAC applications
- Aluminum duct can be used for exhaust venting, bathroom vents, clothes dryers, transition duct, range hoods, etc.
- Plain end



Item #	U/M	Size
<b>M70023</b>	Each	4" x 8'*
<b>M70026</b>	Each	4" x 25'
<b>M70027</b>	Each	4" x 50'

### Semi-Rigid Flexible Duct :



- Fire resistant
- Flexible metallic duct for HVAC applications
- Aluminum duct can be used for exhaust venting, bathroom vents, clothes dryers, range hoods, etc.
- 4" diameter duct
- Plain end



Item #	U/M	Size
<b>M70006</b>	Each	28"min - 8'max
<b>M70007</b>	Each	88"min - 25'max

### Dryer-To-Vent Hookup Kit :



- Hooker-Upper protectors easily attaches one end of duct to dryer and other end to dryer vent no clamps, no tools, no tape
- Protects duct from being smashed behind dryer which can lead to unsafe dryer operations
- Flexible, easy to install
- Includes 8' semi-rigid duct, 2 Hooker-Uppers, and one gasket



**Item # M70005**  
U/M - Each



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: www.millsupplyco.com

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT

## DRYER REPAIR PARTS

### Lint Trap Kit :



- Needs no outside venting
- Adapts to any dryer
- Ideal for mobile homes, apartments, and condominiums
- Saves energy



**Item # M70122**  
U/M - Each

### Dryer Heat Saver :



- Quick, easy installation
- Deflects heat and humidity into the home in cold weather
- Deflects heat outside in warm weather
- Washable lint screen
- Built in hanger and two clamps
- Safety relief valve



**Item # M70124**  
U/M - Each

### 4" Duct Coupler :



- Connects flexible semi-rigid, metallic or vinyl duct together quickly and easily
- Duct twists easily into coupler for connection
- No clamps, no tools, no tape



**Item # M70109**  
U/M - Each

### Louvered PVC Hood Dryer Vent :



- 4" Diameter Supurr-Vent louvered hood, pipe, collar
- Opens with ease for maximum exhaust flow
- Curved louvers for quieter operation
- Durable, weather resistant



Item #	U/M	Size
M70078	Each	White
M70079	Each	Brown

### Louvered PVC Vent Cover :



- 4" Diameter Supurr-Vent louvered hood
- Opens with ease for maximum exhaust flow
- Curved louvers for quieter operation
- Durable, weather resistant



Item #	U/M	Size
M70056	Each	White
M70057	Each	Brown

### Aluminum Foil Tape :

- Aluminum foil backing coated with a strong, durable adhesive
- For sealing heating and cooling air ducts, especially the new duct board systems
- Flame retardant tape helps prevent loss as well as blocks odors and moisture
- ASTM E84 Rated
- Meets HUD-BOCA Codes
- 2" x 50yd Roll



**Item # M10060**  
U/M - Each

### Aluminum Dryer Vent Pipe :



- 4" Diameter / round aluminum pipe
- Snaplock seam to close pipe
- Bath, dryer or general purpose venting
- 24" length



**Item # M70010**  
U/M - Each

### 90° Aluminum Dryer Venting Elbow :



- 4" Diameter aluminum elbow is adjustable from 0 to 90 degrees
- Light gauge construction makes it ideal for bathroom venting
- Crimped one end



**Item # M70014**  
U/M - Each

### Aluminum Wide Mouth Dryer Vent Hood :



- 4" Diameter vent hood, 11" pipe and styrene collar
- Light gauge most commonly used in dryer or bathroom venting
- Positive action vent closure maximizes efficiency
- Low profile



**Item # M70017**  
U/M - Each



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

## DRYER REPAIR / GENERAL VENTING

### Dryer Vent Draft Blocker :



- Helps prevent cold air from entering home through clothes dryer
- Easily attaches to vent pipe and clothes dryer duct
- Plastic construction with balanced damper comes fully assembled



Item # **M70054**  
U/M - Each

### Universal Bird Guard :



- Easily installs over most any type 3" or 4" dryer or bathroom exhaust vent
- Helps prevent birds from nesting in vents and rodents from entering through vents
- Self cleans with wind or rain



Item #	U/M	Size
M70051	Each	White
M70052	Each	Brown

### Dryer Vent w/Wide Mouth Hood :



- Includes removable bird guard
- 4" white hood, 11" aluminum pipe and collar
- Helps prevent birds from nesting in vents and rodents from entering through vents
- Self cleans with wind or rain



Item # **M70053**  
U/M - Each

### Plastic Ratchet Clamp :



- All purpose plastic clamp is adjustable to fit 3" or 4" duct
- Ratchet style assures quick easy installation with a tight fit
- No tools required for installation



Item # **M70101**  
U/M - Each

### 4" Metal Worm Clamp :



- Heavy-duty adjustable mechanism for secure fit
- Adjusts easily with the turn of a screwdriver



Item # **M19195**  
U/M - Each

### Vent Kit:



- 4" Diameter x 5' white vinyl duct, Supurr-Vent louvered vent hood and 2 clamps
- Flexible, easy to install
- Not recommended for dryer venting
- White



Item # **M70111**  
U/M - Each

### Vinyl Duct :



- 4" Diameter vinyl duct
- All purpose use
- Flexible, easy installation
- Not recommended for dryer venting



Item #	U/M	Size
M70040	Each	4" x 20"
M70041	Each	4" x 50"

### Bathroom Vent :



- 3" Supurr-Vent louvered hood, 11" aluminum pipe and collar
- Opens with ease for maximum exhaust flow
- Curved louvers for quieter operation
- Durable weather resistant



Item # **M70092**  
U/M - Each

### Bathroom Vent w/Wide Mouth Hood :



- Includes removable bird guard
- 3" white hood, 11" aluminum pipe and collar
- Helps prevent birds from nesting in vents and rodents from entering through vents
- Self cleans with wind or rain



Item # **M70095**  
U/M - Each



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT

## LINT TRAP / GAS LINES / THERMOSTATS

### Heat Pump Thermostat :

- Heat pump applications
- Classic **white** color
- 2 Heat / 1 cool stage
- Heat, Off, Cool, Emergency switch
- Auto, On fan switch
- Digital display
- Horizontal mounting
- Terminals; R, C, W2, Y, G, B/O, E, L
- Compatible with most heat pump systems



**Item # M70233**  
U/M - Each

**White Rodgers.**

### 24Volt Heat/Cool Thermostat :

- Universal style for Fossil fuel or electric Heat/Cool applications
- Classic **white** color
- 1 Heat / 1 cool stage
- Auto on fan switch
- 50-90 Degree F temperature range
- Horizontal mounting
- Terminals; RC, RH, W, Y, O, B, A
- *Digital model image shown*



Item #	U/M	Type / Mfg. #
M70231	Each	Analog # 350
M70229	Each	Digital # 700

**White Rodgers.**

### Stainless Steel Gas Lines :

- Variety of sizes to fit multiple applications
- Superior strength
- Superior corrosion resistance
- Certified for both indoor and outdoor use
- Available in a wide range of sizes and configurations
- Sold by the each



#### Adapters :

- Stainless Steel
- AGA approved
- Sold by the each



Male



Female

Item #	U/M	Size
M70331	Each	1/2" Male
M70339	Each	3/4" Male
M70329	Each	1/2" Female
M70445	Each	3/4" Female

### Gas Valves :

- 2 Piece
- AGA approved
- CGA approved
- Quarter turn operation
- -20 degrees to + 125 degrees
- Teflon seals



Item #	U/M	Size
M99902	Each	1/2"
M99903	Each	3/4"

Ends	Sizes						
	12"	18"	24"	30"	36"	48"	60"
1/2F x 1/2F	M70252	M70263	M70275	M70286	M70297	M70308	M70319
1/2M x 1/2M	M70253	M70264	M70276	M70287	M70298	M70309	M70320
1/2M x 1/2F	M70254	M70265	M70277	M70288	M70299	M70310	M70321
1/2F x 3/4M	M70255	M70266	M70278	M70289	M70300	M70311	M70322
1/2F x 3/4F	M70256	M70267	M70279	M70290	M70301	M70312	M70323
1/2M x 3/4F	M70257	M70268	M70280	M70291	M70302	M70313	M70324
1/2M x 3/4M	M70258	M70269	M70281	M70292	M70303	M70314	M70325
3/4M x 3/4M	M70259	M70270	M70282	M70293	M70304	M70315	M70326
3/4F x 3/4M	M70260	M70271	M70283	M70294	M70305	M70316	M70327
3/4F x 3/4F	M70261	M70273	M70284	M70295	M70306	M70317	M70328



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: www.millsupplyco.com

## STOVE PIPE / HEATERS

### Stove Pipe :

- Snap-lock
- Galvanized
- 30 gauge
- Size; 24" length x 3"



**Item # M70841**  
U/M - Each

### Stove Pipe Elbow :

- Adjustable 4 piece elbow
- Galvanized
- 26 gauge
- Adjusts from straight through 90 degrees
- 3" diameter



**Item # M70847**  
U/M - Each

### Stove Pipe Reducer :

- No-crimp
- Galvanized
- 26 gauge
- Size; 4" x 3"



**Item # M70832**  
U/M - Each

### 20" Premium Box Fan :

- Wide body design, steel box housing with baked enamel finish
- 5 paddle blade and plastic grill
- 3 whisper-quiet speeds
- Energy efficient, high volume air movement
- Size; 22-1/2" h x 21-3/8" w x 5-3/16" d
- UL listed



**Item # M70239**  
U/M - Each

### 1500w Ceramic Heater :

- 2 heat settings; 1000/1500 watts
- Power indicator light
- Adjustable thermostat maintains desired temperature
- Thermal shut-off sensor automatically turns heater off if overheating occurs
- Tip over shut-off protection
- Built-in handle
- 6' cord



**Item # M70241**  
U/M - Each

### Milkhouse Electric Heater :

- 2 heat settings; 1300/1500 watts
- Fan only setting
- Quick set thermostat controls room temperature
- Easy adjustment control knobs
- Power & warning indicator lights
- Thermal shut-off sensor automatically turns heater off if overheating occurs
- Tip over shut-off protection
- Built-in handle
- 6' cord



**Item # M70245**  
U/M - Each

### Oil Filled Heater :

- 3 heat settings; 600/900/1500 watts
- Adjustable thermostat maintains desired temperature
- All metal construction
- Thermal shut-off sensor automatically turns heater off if overheating occurs
- Tip over shut-off protection
- Built-in handle
- 6' cord



**Item # M70243**  
U/M - Each

### Baseboard Thermostat :

- Mechanical, non programmable thermostat provides 120-240 Vac control for baseboard electric heat systems
- Provides reliable line voltage control of resistive rated electric heating equipment
- Snap-action switch activates heat for positive temperature control
- Univeral application



**Item # M70235**  
U/M - Each

### Baseboard Electric Heaters :

- 240volt
- 10 year element warranty, control heating level with built-in or wall mount thermostat
- Aluminum finned tube element for more efficient heat transfer
- Electrical connections easily made from either end
- Does not include thermostat
- Ivory finish
- UL listed



Item #	U/M	Length	Watts
<b>M70246</b>	Each	2'	500
<b>M70247</b>	Each	3'	750
<b>M70248</b>	Each	4'	1,000
<b>M70249</b>	Each	6'	1,500
<b>M70250</b>	Each	8'	2,000



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

## HVAC

### Sidewall Register :

- Multi-louvered damper permits use with both heating and cooling applications
- Fin design directs air pattern left and right 30 degrees from center and vertically 45 degrees
- One piece face design
- Electro-deposition white finish



Item #	U/M	Size
M70134	Each	8" x 4"
M70136	Each	10" x 4"
M70138	Each	10" x 6"
M70140	Each	10" x 8"
M70142	Each	12" x 4"
M70144	Each	12" x 6"
M70146	Each	14" x 4"
M70148	Each	14" x 6"

### Floor Register :

- One piece heavy gauge steel face
- Easy to operate damper
- Expansion tabs lock diffuser firmly into floor
- Tough durable brown finish



Item #	U/M	Size
M70161	Each	2-1/4" x 10"
M70165	Each	2-1/4" x 12"
M70177	Each	4" x 10"
M70184	Each	4" x 12"
M70192	Each	4" x 14"

### Sidewall / Ceiling Register :

- 1/2" adjustable blades
- For ceiling or sidewall use
- Color - White



Item #	U/M	Size
M70156	Each	10" x 4"
M70157	Each	10" x 6"
M70158	Each	12" x 6"

### Return Air Grille :

- One piece, heavy gauge steel grill ideal for residential and commercial use
- Fins spaced three to the inch are swept back 22 degrees to conceal opening
- Electro-deposition white finish



Item #	U/M	Size
M70196	Each	6" x 6"
M70197	Each	8" x 4"
M70199	Each	8" x 6"
M70202	Each	10" x 6"
M70208	Each	12" x 6"
M70211	Each	12" x 8"
M70213	Each	12" x 12"
M70221	Each	14" x 6"
M70225	Each	20" x 20"

### A/C Furnace Filter :

- Disposable panel filters are designed to withstand the demands of tough industrial and commercial applications
  - Tri-directional scrim backing increases filter integrity
  - Safe, easy, fast installation
- Sold in full box quantities only*



Item #	U/M	Size	Qty per Box
M71320	Each	10" x 20" x 1"	12 Each
M71325	Each	10" x 24" x 1"	12 Each
M71340	Each	10" x 25" x 1"	12 Each
M71350	Each	10" x 30" x 1"	12 Each
M71390	Each	12" x 20" x 1"	12 Each
M71410	Each	12" x 24" x 1"	12 Each
M71415	Each	12" x 25" x 1"	12 Each
M71430	Each	12" x 30" x 1"	12 Each
M71490	Each	14" x 20" x 1"	12 Each
M71510	Each	14" x 24" x 1"	12 Each
M71515	Each	14" x 25" x 1"	12 Each
M71550	Each	15" x 20" x 1"	12 Each
M71595	Each	16" x 20" x 1"	12 Each
M71605	Each	16" x 24" x 1"	12 Each
M71615	Each	16" x 25" x 1"	12 Each
M71650	Each	20" x 20" x 1"	12 Each
M71660	Each	20" x 25" x 1"	12 Each
M71690	Each	25" x 25" x 1"	12 Each

### Fiberglass Filter Mat :



- Consists of high loft gradient density fiberglass which allows deep dirt penetration assuring high-dirt holding capacity and maximum filtration efficiency



Item #	U/M	Size
M71781	Each	20' x 24" x 1"
M71791	Each	20' x 30" x 1"



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)



## RANGE HOODS / EXHAUST FANS & REPAIR


### Ductless Range Hood :

- Removes grease and odors from kitchen
- Built-in enclosed light, provides light on your range surface
- Activated charcoal filter to absorb cooking odors



### Charcoal Filter :

- For use with Nutone ductless range hoods
- 8-3/4" x 10-1/2"



Item # M71134  
U/M - Each

Item #	U/M	Size	Color
M70514	Each	24"	White
M70524	Each	30"	White
M70536	Each	24"	Almond
M70554	Each	30"	Almond

### Ducted Range Hood :

- Removes grease and odors from kitchen
- 3-1/4" x 10" rectangle duct
- Built-in enclosed light, provides light on your range surface



\* M70563 is a convertible range hood that converts to non-ducted, you must purchase our #M71134 (charcoal filter) to convert this to a ductless application.

Item #	U/M	Size	Color
M70512	Each	24"	White
M70518	Each	30"	White
M70530	Each	24"	Almond
M70542	Each	30"	Almond
M70563	Each	30"	Stainless Steel*

### Aluminum Grease Filter :

- For use with range hoods, exhaust fans, etc.



Item #	U/M	Size
M71007	Each	7-1/4" x 9-1/2"
M71012	Each	8" x 9-1/2"
M71017	Each	8-1/4" x 11-1/4"
M71027	Each	8-3/4" x 10-1/2"
M71042	Each	10-1/8" x 10-15/16"

### Aluminum Grease Filter :

- For use with range hoods, exhaust fans, etc.



Item #	U/M	Size
M71104	Each	9-1/2"
M71108	Each	10-1/2"

### Grille :



- Replacement grille for Broan/Nutone #688 exhaust fan
- 9" x 9-1/4"
- Also fits #685 & #696N exhaust fans



Item # M84919  
U/M - Each

### Bath Fan :



- 50 CFM, 4.0 sones fan - for bathrooms up to 45 sq. ft.
- Plug-in, permanently lubricated motor
- UL listed for use over bathtubs and showers (when connected to GFCI)
- White grille
- Housing : 7-1/4" x 7-1/2" x 3-5/8" high
- Grille : 8-11/16" x 9-1/2"



Item # M84915  
U/M - Each

### Exhaust Fan Grille :

- Fits all standard 8" fans
- For a fresh clean kitchen look
- Easily washed in lukewarm water detergent
- Can be painted to suit any decor
- Plastic (white)



Item # M70922  
U/M - Each

### Fan Blade :



- Replacement fan blade for Nutone "RL" series range hood
- Ducted blade shown
- Sold by the each



Item #	U/M	Range Hood Type
M70894	Each	Ducted
M70898	Each	Ductless

### Motor :



- Replacement motor for Nutone "RL" series range hood



Item #	U/M	Range Hood Type
M70895	Each	Ducted
M70896	Each	Ductless

### Light Lens :



- Snap in replacement lens cover for Nutone "RL" series range hood



Item # M70889  
U/M - Each



MILL SUPPLY CO., INC.

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: www.millsupplyco.com

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT

## RANGE & RANGE HOOD PARTS

### Electric Top Burner Knobs :

- Fits most **electric** ranges
- Sold in pack of 4 only
- Includes 20 adapter inserts



**Item # M71210**  
U/M - Pack

### Electric Oven Knob :

- Fits most **electric** ranges
- Sold by the each
- Includes 5 adapter inserts



**Item # M71204**  
U/M - Each

### Gas Oven Knob :

- Fits most **gas** ranges
- Sold by the each
- Includes 1 adapter insert



**Item # M71207**  
U/M - Each

### Gas Top Burner Knobs :

- Fits most **gas** ranges
- Sold in pack of 4 only
- Includes 4 adapter inserts



**Item # M71214**  
U/M - Pack

### Range Drip Pan :

- For plug-in elements
- Heavy chrome plating



Item #	U/M	Size
M71228	Each	6"
M71240	Each	8"

### Range Drip Pan :

- Heavy chrome plating



Item #	U/M	Size
M71231	Each	6"
M71243	Each	8"

### Range Trim Ring :

- Use with metal or porcelain pans
- Heavy chrome plating



Item #	U/M	Size
M71282	Each	6"
M71289	Each	8"

### Broiler Pan :

- Porcelain and chrome
- Rugged, easy to clean porcelain pan with chrome rack
- 16-1/2" x 12-3/4" x 1-5/8"



**Item # M71255**  
U/M - Each

### Surface Range Receptacle :

- 50 amp
- Allows for wiring from bottom or back
- Black
- UL listed



COOPER Wiring Devices

Item #	U/M	Wire
M82106	Each	3 Wire
M80098	Each	4 Wire

### Flush Range Receptacle :

- Commercial grade, flush mount
- Meets all UL498 requirements
- Heavy gauge steel mounting strap, zinc plated for corrosion resistance
- For use with copper or aluminum wire, 75 degrees Celsius rated terminals
- Fits one or two gang enclosures
- 125/250V - 50amp
- Brown



COOPER Wiring Devices

Item #	U/M	Wire
M82107	Each	3 Wire
M80095	Each	4 Wire

### Range Cord :

- UL listed
- 50 amp
- Gray



Item #	U/M	Size	Wire
M80072	Each	4'	3
M80075	Each	6'	3
M80073	Each	4'	4
M80076	Each	6'	4

### Splash Plate :

- For beautification and protection of kitchen wall above the range and below the range hood
- Easy to install and clean
- 30" x 24"
- White on one side and almond on the other
- Sold by the each



**Item # M70461**  
U/M - Each



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

## REFRIGERATOR / WATER HEATER REPAIR

### Ice Maker Installation Kit - Copper :

- Adapts to most ice makers and humidifiers
- Self-piercing tap valve for 3/8" to 1"OD tube with 1/4" OD compression outlet
- Includes 15' of copper tubing and all necessary fittings



**Item # M99772**  
U/M-Each

### Ice Maker Installation Kit - Polyethylene :

- Adapts to most ice makers and humidifiers
- Self-piercing tap valve for 3/8" to 1"OD tube with 1/4" OD compression outlet
- Includes 25' of Polyethylene tubing and all necessary fittings



**Item # M99768**  
U/M-Each

### Ice Maker Supply Line :

- 1/4" compression x 1/4" compression connection
- Stainless steel braided for superior strength
- 5' length



**Item # M99776**  
U/M-Each

### Needle Valve :

- Self tapping for 3/8" to 1" tubing
- Perfect for icemakers



**Item # M99764**  
U/M - Each

### Ice Cube Trays :

- Designed to channel water so trays fill quickly and evenly
- Flexible trays allow ice cubes to dispense easily
- Trays stack easily in the freezer with the aid of icons molded into the rim
- Size: 11-1/2" x 4-5/8" x 1-7/8"
- 2 trays per pack
- Sold per pack only



**Item # M76501**  
U/M - Each

### Water Heater Element Removal Tool :

- Reaches into offsets
- Works with any screwdriver



**Item # M99006**  
U/M - Each

### Temperature & Pressure Relief Valve :

- Replacement for \*Watts Regulator Model 100XL-4
- \*Cash Acme Model NCLX-5
- 150psi / 210 degree F.
- 3/4" Male inlet / 3/4" Female outlet



**Item # M99756**  
U/M - Each

### Thermocouplers :

- For use in gas water heaters, gas furnaces, gas space heaters and gas logs
- Replaces most common thermocouplers



Item #	U/M	Size
M93406	Each	18"
M93412	Each	24"
M93418	Each	36"
M93424	Each	48"

### Boiler Drain :

- Heavy brass construction
- Heavy cast iron handle
- 3/4" Hose thread outlet
- Male inlet pictured



Item #	U/M	Inlet Size
M99906	Each	1/2" Male
M99907	Each	3/4" Male
M99908	Each	1/2" Female

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

Page 67

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT

## WATER HEATERS - ELECTRIC

### Lowboy Electric Water Heater :



- Resistor design heating elements prolong anode rod and tank life
- Furnished with standard 240v AC, single phase, non-simultaneous wiring
- 4,500 watt upper and lower element for faster recovery
- T & P valve installed
- Non-CFC foam insulated
- .093 energy factor (30gal)
- .092 energy factor (38gal)
- Meets or exceeds National Appliance Energy Conservation act (NAECA) requirements
- 6 year warranty



Item #	U/M	Size	Capacity
M72057	Each	30"H x 22-1/4"	30 gallon
M72083	Each	31-1/2"H x 23"	38 gallon

### Medium Electric Water Heater :



- Resistor design heating elements prolong anode rod and tank life
- Furnished with standard 240v AC, single phase, non-simultaneous wiring
- 4,500 watt upper and lower element for faster recovery
- T & P valve installed
- Non-CFC foam insulated
- .093 energy factor (30gal)
- .092 energy factor (40gal)
- .090 energy factor (50gal)
- Meets or exceeds (NAECA) requirements
- 6 year warranty



Item #	U/M	Size	Capacity
M72066	Each	36"H x 19-3/4"	30 gallon
M72088	Each	46-1/2"H x 19-3/4"	40 gallon
M72103	Each	46"H x 26-3/4"	50 gallon

### Tall Electric Water Heater :



- Resistor design heating elements prolong anode rod and tank life
- Furnished with standard 240v AC, single phase, non-simultaneous wiring
- 4,500 watt upper and lower element for faster recovery
- T & P valve installed
- Non-CFC foam insulated
- .093 energy factor (30gal)
- .092 energy factor (40gal)
- .090 energy factor (50gal)
- Meets or exceeds National Appliance Energy Conservation act (NAECA) requirements
- 6 year warranty



Item #	U/M	Size	Capacity
M72072	Each	45-3/4"H x 17-3/4"	30 gallon
M72094	Each	59-1/4"H x 17-3/4"	40 gallon
M72108	Each	57"H x 19"	50 gallon

### No-Burst Water Heater Connectors :



- Made of braided stainless steel
- High bursting strength with stainless ferrules that are extra long with double radial crimps for more security
- Tough, TPR core resists chlorine and chloramines
- Captive flap washers seal tightly
- Exceptional flexibility for fast, easy installation. Won't kink or crease, even in the tightest of spaces
- Heavy-duty brass nuts are easy to grip and nickel plated for durability
- 3/4" FIP x 3/4" FIP



Item #	U/M	Length
M99351	Each	12"
M99357	Each	18"
M99363	Each	24"



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

## WATER HEATERS - NATURAL GAS

### Natural Gas 29gal Water Heater :

- High BTU input for fast recovery
- Durable aluminized steel burner
- Piezo ignition system for "no match" lighting
- Extra durable brass drain valve
- Rigid foam insulation for superior heat retention
- T & P valve installed
- .062 energy factor
- Meets or exceeds National Appliance Energy Conservation act (NAECA) requirements
- Tall (59-3/4" vent height / 3" vent) (56-3/8" tank height)
- 16-1/8" diameter tank
- 6 year warranty



**Item # M72009**  
U/M - Each

### Natural Gas 40gal Medium Water Heater :

- High BTU input for fast recovery
- Durable aluminized steel burner
- Piezo ignition system for "no match" lighting
- Extra durable brass drain valve
- Rigid foam insulation for superior heat retention
- T & P valve installed
- .059 energy factor
- Meets or exceeds National Appliance Energy Conservation act (NAECA) requirements
- Medium (52-1/2" vent height / 3" vent) (49-1/4" tank height)
- 20-1/8" diameter tank
- 6 year warranty



**Item # M72016**  
U/M - Each

### Natural Gas 40gal Tall Water Heater :

- High BTU input for fast recovery
- Durable aluminized steel burner
- Piezo ignition system for "no match" lighting
- Extra durable brass drain valve
- Rigid foam insulation for superior heat retention
- T & P valve installed
- .059 energy factor
- Meets or exceeds National Appliance Energy Conservation act (NAECA) requirements
- Medium (61-1/2" vent height / 3" vent) (58" tank height)
- 17-3/4" diameter tank
- 6 year warranty



**Item # M72020**  
U/M - Each

### Natural Gas 50gal Tall Water Heater :

- High BTU input for fast recovery
- Durable aluminized steel burner
- Piezo ignition system for "no match" lighting
- Extra durable brass drain valve
- Rigid foam insulation for superior heat retention
- T & P valve installed
- .058 energy factor
- Meets or exceeds National Appliance Energy Conservation act (NAECA) requirements
- Medium (61-1/2" vent height / 3" vent) (58-1/4" tank height)
- 20-1/8" diameter tank
- 6 year warranty



**Item # M72029**  
U/M - Each



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

- PLUMBING
- MAINTENANCE
- ELECTRICAL
- HARDWARE
- CONSTRUCTION & BUILDING SUPPLIES
- Tools
- LAWN & GARDEN
- JANITORIAL
- AUTOMOTIVE
- PAINT & SUNDRIES
- INDUSTRIAL
- SAFETY EQUIPMENT

## DISPOSALS & REPAIR PARTS

### Garbage Disposals :

- Quick lock mounting makes installation a snap
- Designed for apartment use
- Continuous feed
- All mounting hardware included
- Made in U.S.A.
- 1 year warranty



Item #	U/M	HP
M97502	Each	1/3
M97503	Each	1/2

### Garbage Disposal Waste Arms :

- 1-1/2" x 2-1/4" plastic
- Fits ISE and various others
- 4" Length



**Item # M93694**  
U/M - Each

### Brass Garbage Disposal Waste Arm :

- 1-1/2" x 2-1/2" x 8" brass
- Fits various types



**Item # M97102**  
U/M - Each

### In-Sink-Erator Stopper :

- Stopper for ISE disposal units
- Black plastic



**Item # M91092**  
U/M - Each

### In-Sink-Erator Splash Guard :

- Baffle for ISE disposal units
- Black Rubber
- 3-7/8" Diameter



**Item # M97524**  
U/M - Each

### Fits-Most Disposal Stopper :

- Black plastic
- New style 2-1/2" ID
- Sold by the each



**Item # M91203**  
U/M - Each

### Fits-Most Disposal Splash Guard :

- Fit-all replacement for most disposals
- With snap ring for holding in place
- 3-5/32" Diameter



**Item # M91089**  
U/M - Each

### Anaheim Mfg. OEM Stopper & Splash Guard :

- Direct factory replacement for Whirlaway and Sinkmaster disposals
- Perfect fit
- 3-1/8" Diameter



**Item # M91091**  
U/M - Each

### Disposal Seal :

- For connecting waste arm to disposal
- Fits ISE
- Rubber
- Black



**Item # M91278**  
U/M - Each

### Garbage Disposal Clearing Wrench :

- Frees jammed disposal blades without endangering hands
- For ISE disposals



**Item # M99012**  
U/M - Each

### Garbage Disposal Clearing Wrench :

- Frees jammed disposal blades without endangering hands



**Item # M99011**  
U/M - Each



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: www.millsupplyco.com

## DISHWASHER / WASHING MACHINE REPAIR

### Disposal Dishwasher Air Gap :

- Prevents waste from backing up
- Plastic body
- Economy



**Item # M91275**  
U/M - Each

### Disposal Dishwasher Air Gap :



- Prevents waste from backing up
- Premium quality
- Plastic body



**Item # M91274**  
U/M - Each

### Dishwasher Branch Tailpieces :

- For 3/4" sweat (7/8" OD) or hose clamp
- 8" Satin finish
- Direct connect inlet



**Item # M97050**  
U/M - Each

### Threaded Dishwasher Branch Tailpiece :

- For 3/4" sweat (7/8" OD) or hose clamp
- 8" Satin finish
- Slip joint nut down inlet



**Item # M97049**  
U/M - Each

### Air Gap Replacement Cap :

- Chrome plated
- Fits most air gaps



**Item # M91266**  
U/M - Each

### Dishwasher-Disposal Connector/Boot :

- Makes a quick and positive seal between drain and disposal
- Includes four clamps for easy installation



**Item # M91279**  
U/M - Each

### Diswasher Hook-Up Kit :

- Includes; stainless steel braided supply line 3/8" x 60" length
- 3/8" compression x 3/8" MIP brass elbow



**Item # M99328**  
U/M - Each

### Dishwasher Drain Hose :

- Hot water hose
- 50ft. coils
- Rubber hose



Item #	U/M	Size
M91953	Each	5/8" I.D.
M91964	Each	7/8" I.D.

### Washing Machine Hose - Rubber :

- 3/8" black high-pressure hose
- 200 PSI working 800PSI burst pressure
- Female x female hose thread couplings



Item #	U/M	Size
M96510	Each	5'
M96520	Each	6'

### Washing Machine Hose - Stainless Steel :

- 3/8" braided high-pressure hose
- 400 PSI working 2000PSI burst pressure
- Female x female hose thread



Item #	U/M	Size
M96553	Each	4'
M96559	Each	5'
M96562	Each	6'



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)

PLUMBING

MAINTENANCE

ELECTRICAL

HARDWARE

CONSTRUCTION & BUILDING SUPPLIES

Tools

LAWN & GARDEN

JANITORIAL

AUTOMOTIVE

PAINT & SUNDRIES

INDUSTRIAL

SAFETY EQUIPMENT

## MINI & VERTICAL BLINDS

### 1" Vinyl Mini-Blinds :

- With tilt wand and valance
- Safety tassel included
- Easy to install, operate, clean and shorten
- Tapeless construction
- Includes all mounting hardware
- Lead free



### 48" Drops In White

Size (WxL)	U/M	Item # (White)
28" x 48"	Each	M77867
33" x 48"	Each	M77929
46" x 48"	Each	M78046
70" x 48"	Each	M78112

Size (WxL)	U/M	Item # (White)	Item # (Alabaster)
22" x 64"	Each	-	M78154
23" x 64"	Each	M77819	M78168
23" x 72"	Each	M77833	M78182
24" x 64"	Each	M77847	M78196
25" x 64"	Each	M77849	M78210
26" x 64"	Each	M77851	M78224
27" x 64"	Each	M77861	M78238
27" x 72"	Each	M77863	M78252
28" x 64"	Each	M77875	M78266
29" x 64"	Each	M77879	M78280
29" x 72"	Each	M77889	M78294
30" x 64"	Each	M77891	M78308
31" x 64"	Each	M77903	M78322
32" x 64"	Each	M77905	M78331
33" x 64"	Each	M77907	M78350
34" x 64"	Each	M77917	M78364

Size (WxL)	U/M	Item # (White)	Item # (Alabaster)
35" x 64"	Each	M77931	M78378
36" x 64"	Each	M77959	M78392
37" x 64"	Each	M77973	M78406
38" x 64"	Each	M77975	M78420
39" x 64"	Each	M77987	M78434
40" x 64"	Each	M78001	M78448
41" x 64"	Each	M78015	M78462
42" x 64"	Each	M78029	M78476
43" x 64"	Each	M78043	M78490
45" x 64"	Each	M78045	M78504
46" x 64"	Each	M78047	M78518
47" x 64"	Each	M78071	M78532
48" x 64"	Each	M78085	M78546
50" x 64"	Each	M78087	M78560
52" x 64"	Each	M78089	M78574
54" x 64"	Each	M78091	M78588
58" x 64"	Each	M78093	M78602
59" x 64"	Each	M78099	M78616
60" x 64"	Each	M78101	M78630
68" x 64"	Each	M78103	M78658
70" x 64"	Each	M78113	M78672
71" x 64"	Each	M78115	M78686
72" x 64"	Each	M78117	M78700

### Vertical Blinds :

- Easy to install
- Heavy-duty headrail
- Thicker vinyl ribbed vanes
- Curved design for stability and appearance
- Dust repellent vertical vanes
- All hardware and instructions included
- Reversible headrail for left or right one-way draw
- 3-1/2" vertical vanes
- Maintenance free
- **Includes valance**
- For 6' high patio doors

### White

Item #	U/M	Size (WxL)
M79601	Each	78" x 84"
M79701	Each	104" x 84"

### Alabaster

Item #	U/M	Size (WxL)
M79851	Each	78" x 84"
M79951	Each	104" x 84"
M79953	Each	110" x 84"
M79955	Each	120" x 84"

### Replacement Slats

- Ribbed slats
- 82-1/2" length
- 100 slats per box
- Sold per box only

Item # **M79735**  
U/M - Box  
Color - White

Item # **M79979**  
U/M - Box  
Color - Alabaster



**MILL SUPPLY CO., INC.**

Phone (410) 485-3343  
Fax (410) 325-2240

Toll Free 1-800-817-8183  
Online: [www.millsupplyco.com](http://www.millsupplyco.com)